Message

From: O'Connor, Daniel [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP

(FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=10F82A7B1F5447F4B25E150131005733-O'CONNOR, D]

Sent: 2/17/2021 2:05:44 PM

To: Juett, Lynn [Juett.Lynn@epa.gov]

Subject: FW: Response request

Here's Scott's confirmation for Doug's OT.

Danny O'Connor

Acting Chief, Response, Removal, and Emergency Preparedness Section

Superfund and Emergency Management Division

U.S. Environmental Protection Agency

11201 Renner Boulevard Lenexa, Kansas 66219 Phone: 913-551-7868

From: Hayes, Scott < Hayes. Scott@epa.gov>
Sent: Saturday, February 13, 2021 10:07 AM
To: O'Connor, Daniel < oconnor.daniel@epa.gov>

Cc: Buchholz, Ken <Buchholz.Kenneth@epa.gov>; Curry, Tim <Curry.Timothy@epa.gov>; Juett, Lynn <Juett.Lynn@epa.gov>; Ruiz, Adam <Ruiz.Adam@epa.gov>; Ferguson, Doug <Ferguson.Doug@epa.gov>

Subject: Re: Response request

Yes OT will be approved. That can wait until Tuesday

Scott D. Hayes, Deputy Director

Superfund & Emergency Management Division EPA Region 7 913-551-7670 Sent from my iPad

On Feb 13, 2021, at 9:58 AM, O'Connor, Daniel < oconnor.daniel@epa.gov> wrote:

FYI, we have a slight change in strategy after talking with NDEE (Kirk Morrow) in more detail. According to NDEE, the release is already off the facility's property. For this reason and due to the weather conditions, we've decided to activate START to assist Doug with assessment. Tim is in contact with the START R1 responder (Eric Deselich), who will meet Doug on-site.

Scott, I'll be filling out an Overtime and Travel Comp Time form for Doug once I have a better understanding of how long he'll be on-site. In the meantime, can I get an initial email approval from you for Doug to charge overtime for this response?

Thanks,

Danny O'Connor
Acting Chief, Response, Removal, and Emergency Preparedness Section
Superfund and Emergency Management Division
U.S. Environmental Protection Agency
11201 Renner Boulevard
Lenexa, Kansas 66219

Phone: 913-551-7868

From: O'Connor, Daniel

Sent: Saturday, February 13, 2021 8:19 AM **To:** Hayes, Scott < <u>Hayes.Scott@epa.gov</u>>

Cc: Buchholz, Ken < <u>Buchholz.Kenneth@epa.gov</u>>; Curry, Tim < <u>Curry.Timothy@epa.gov</u>>; Juett, Lynn < <u>Juett.Lynn@epa.gov</u>>; Ruiz, Adam < <u>Ruiz.Adam@epa.gov</u>>; Ferguson, Doug < <u>Ferguson.Doug@epa.gov</u>>

Subject: RE: Response request

Scott, Doug is heading to the TLC to load up a GOV and head towards Mead, Nebraska. Per NDEE's request, Doug will assess the situation and provide recommendations. START and ERRS will not be activated at this time. I've asked Doug to check back in with me once he's had time on site to evaluate the situation. I'll provide a more thorough update at that time.

Thanks,

Danny O'Connor
Acting Chief, Response, Removal, and Emergency Preparedness Section
Superfund and Emergency Management Division
U.S. Environmental Protection Agency
11201 Renner Boulevard
Lenexa, Kansas 66219
Phone: 913-551-7868

From: Hayes, Scott < Hayes.Scott@epa.gov>
Sent: Friday, February 12, 2021 11:16 PM
To: Ferguson, Doug < Ferguson.Doug@epa.gov>

Cc: Buchholz, Ken < Buchholz.Kenneth@epa.gov>; Curry, Tim < Curry.Timothy@epa.gov>; Juett, Lynn

<<u>Juett.Lynn@epa.gov</u>>; O'Connor, Daniel <<u>oconnor.daniel@epa.gov</u>>; Ruiz, Adam

<Ruiz.Adam@epa.gov>

Subject: Fwd: Response request

Scott D. Hayes, Deputy Director
Superfund & Emergency Management Division
US EPA Region 7
Lenexa, Kansas 66219
913-551-7670
Sent from my iPhone - please excuse typos

Begin forwarded message:

From: "Macy, Jim" < <u>iim.macy@nebraska.gov</u>>
Date: February 12, 2021 at 9:42:20 PM CST

To: "Cozad, David" < Cozad.David@epa.gov >, "Hayes, Scott" < Hayes.Scott@epa.gov >

Cc: "steve.goans" <steve.goans@nebraska.gov>, kirk.morrow@nebraska.gov

Subject: Response request

Scott

We have an emergency at a ethanol plant near Mead Nebraska called Alt En. They have a shut down order from us and in process of shutting down they are freezing up and

have about 4 million gallons of thin sillage and a liquefied imanure going off site. Would you have ability to assist?

Immediate concern is the ability of the plant to control leaks during this sub zero weather. Additionally the facility has several vessels that contain a pesticide used in seed corn production that we have found to bioaccumulate in the wet cake and process water. The lagoons are approximately Within 2 feet of topping

Late today the site experienced compounding emergencies with two additional undisclosed vessels that contain liquid manure and are also freezing and or have potential to rupture.

We need assistance to asses the site, make technical recommendations on contain/control and overall management. As of 1730 ndee has taken effluent samples approximately 1 mile downstream from site. This is already impacting University of Nebraska research fields.

Please keep this list informed of next steps.

Get Outlook for iOS